


Between us, ideas become reality®



Steelcase University Learning Center, Grand Rapids, MI

OPTIMA CURVED CANOPY

- Enhance the acoustics of your office, atrium or any large, open space with Optima Curved Canopy
- Very easy and quick to install under plaster board ceilings, existing grid systems or exposed concrete soffits
- Exclusive finish with high light reflectance
- Optima Curved Canopy can be installed either as a concave or convex element, creating various design options from a single canopy
- Optima Curved Canopy enables you to accentuate an area and express your creativity



OPTIMA CURVED CANOPY



Light Reflectance

Intelligibility

Concentration

PHYSICAL DATA

Dimensions	1181 x 1870 x 30 mm
Colour	White
Edge	Painted scrim

ITEMS NUMBERS


CS 2810 WHI1	Optima Curved Canopy - 1pc/ctn
CS 2810 WHI2	Optima Curved Canopy - 2pc/ctn

ACCESSORY KIT CONTENT*

CS 6636	2x	Spiral anchor
		Suspension cable
		Cable adjustor
		Cable finishing hook
		Gripper structure anchor
		Gripper anchor cap

*2 accessory kits per CANOPY.


ACOUSTICAL DATA - 600mm airspace



Sabines** / Item = 2.79

**Average of 500-4000Hz, laboratory measurements with items suspended at 600mm from soffit. Contact the Armstrong Technical Sales Team for further acoustic and product information.

TECHNICAL DRAWING



CONVEX INSTALLATION



EEA Euroclass B-s1, d0

EN 13501-1



90 % RH



10 kg/pc



Please contact the Armstrong Technical Sales group for further details. All product specifications are subject to modifications without prior notice.

www.armstrong.eu



Armstrong®