

CELLIO


Open Cell
Metal Ceiling

CELLIO

CELLIO, Armstrong's open cell metal ceiling, is suitable for all types of areas and is available in a number of cell sizes.

The monolithic appearance of CELLIO is achieved by the integration of the grid into the ceiling design. As Cellio is installed on Armstrong Prelude 15mm TL exposed grid it is compatible with all Armstrong MicroLook ceiling tiles. This concept allows for unlimited design scope and flexible functional benefits. Detailing at the junction of wall and ceiling is a good example of this flexibility.

CELLIO is particularly ideal for refurbishing projects where a 15 mm exposed grid is already in place or in large areas where a perfect cell alignment is required.



CELLIO is recommended for shops, supermarkets, shopping malls, entrance areas, airports, railway stations and showrooms.

Integrated services

The flexibility of the Prelude 15mm TL exposed grid system, together with CELLIO's variety of open cell sizes, makes integration of services such as lighting, sprinklers and air grills, easy.

Acoustic performance

Careful selection of acoustic overlays, which may be laid onto the CELLIO panels, will result in noise reduction benefits to meet a broad range of requirements.

Fire and moisture resistance

CELLIO systems are non-combustible and can be used safely in areas of temporary high humidity. Usage is not recommended where subject to external weather conditions.

Easy to install and demountable

All CELLIO items are installed on Prelude 15mm TL grid. Each individual full CELLIO panel is easily removable from the grid. Cell alignment is maintained throughout the ceiling area, despite frequent removal and replacement, due to the stable framework provided by the Prelude suspension system.




CELLIO > Open Cell Metal Ceilings



Recycled Content

EDGE DETAIL




Prelude 15mm TL

MODULE DIMENSIONS


600 x 600 x 37 mm

CELL SIZES


CELLIO C64




CELLIO C49




CELLIO C36




CELLIO C25



CELLIO C16



CELLIO C9



Item No.

9002 M6 I

Cell module size

75 x 75 x 37mm

9003 M6 I

86 x 86 x 37mm

Open area

64%

9004 M6 I

100 x 100 x 37mm

9005 M6 I

120 x 120 x 37mm

Cut off angle

31°

9006 M6 I

150 x 150 x 37mm

Weight kg/m²

5,10 kg

4,50 kg

3,85 kg

3,25 kg

2,60 kg

9007 M6 I

200 x 200 x 37mm

85%


11°

2,10 kg






CELLIO is available in White, Black (BK) and Silver Grey (SG) and compatible with our standard Trulok colour range

INSTALLATION



PERIMETER ALTERNATIVES

Dimension of perimeter tiles (mineral fibre and metal), should be set out so that the perimeter tiles are in excess of 1/2 a module.



United Kingdom / Republic of Ireland Armstrong World Industries Ltd.

Building Products Division,
Armstrong House
38 Market Square,
Uxbridge UB8 1NG

+44 (0) 0800 371849 (UK)

FREEPHONE

+44 (0) 1800 409002 (ROI)

Fax: +44 (0) 1895 274287

e-mail: sales-support@armstrong.com

www.armstrong-ceilings.co.uk

www.armstrong-ceilings.ie

www.armstrong.eu

All product specifications are subject to modifications without prior notice.
Please contact our Internal Technical Sales Group for further information.