















PERIMETER SOLUTIONS

A comprehensive range of the most commonly used perimeter profiles, including shadowline, F upstands and cover plates, finished to match all Prelude 24 mm and 15 mm, Bandraster and Prelude 35 grid systems.

Item Nr.	Description	Dimensions length (mm)	Content / Carton		Weight / Carton
			pcs	lm	kg
	BPT 1924 HD	Perimeter angle, painted	3000	36 108,00	22,70
	BPT 1924 CA ⁽¹⁾ BPT 1924 LB	Perimeter angle, capped Perimeter angle, corrosive resistant	3050	36 109,80	27,60
	BPT 1932 HA	Perimeter angle, painted	3000	36 108,00	21,80
	BPT 1919 HC	Perimeter angle, painted	3000	36 108,00	19,30
	BPT 2400 H BPT 2401 H BPT 2424 HC	Perimeter angle, painted intermediate duty Perimeter angle, painted heavy duty Perimeter angle, painted	3050	30 91,50	20,00
	BPT 3024 H	Perimeter angle, painted	3000	40 120,00	28,50
	BPT 3030 H	Perimeter angle, painted	3000	30 90,00	25,00
	BPT 1506 H	Shadowline, painted	3050	36 109,80	26,30
	BPT 1508 HB	Shadowline, painted	3050	36 109,80	27,10
	BPT 2020 HH	Shadowline, painted	3000	20 60,00	27,00
	BP 7875 G	Shadowline, painted, for Optima Vector, Ultima Vector	3050	30 91,50	26,80
	BPT 2121 HG	Shadowline, air circulation length of slot: 50 mm Distance between slots 20 mm (ca. 16% open area)	3000	25 75,00	41,20
	BPT 2040 HB	C-channel, painted	3050	20 61,00	18,10
	BPT 2025 HAG	C-channel, painted	3050	40 122,00	30,00


(1) Colours available : Carrara (CA), Platinum (PN), Black (BK), RAL 9006 (SG), Brass (BS), Chrome (CE), White RAL 9010 (WR), Opal (OL), Brown (BN), Ivory (IY), Blue (BE), Red (RD), Green (GN).
All measurements in millimetres. All sizes are nominal.

PERIMETER SOLUTIONS


Mineral suspension system.

Item Nr.	Description	Dimensions length (mm)	Content / Carton pcs	Carton lm	Weight / Carton kg
BPT 2040 H WR A	C channel, colour RAL 9010	3050	20	61,00	18,10
BPT 2040 H SG A	C channel colour RAL 9006	3050	20	61,00	18,10
BPT 1575 HA	Unequal U-Profile, painted	3050	36	109,80	24,20
BP 7856 H	F Upstand trim, painted, for 16 mm thick panels	3050	20	61,00	23,70
BP 7852 H	F Upstand trim, painted, for 13 mm thick panels	3050	20	61,00	23,00


Perimeter Detailing




Standard perimeter finish with perimeter angle
BPT 1924 HD or **BPT 1924 CA**



Perimeter finish with C channel **BPT 2040 HA**
1 BPA 7890 G Universal retaining clip



Perimeter finish with shadowline **BPT 1506 H**



Perimeter finish with unequal U-Profile **BPT 1575 HA**

PERIMETER SOLUTIONS




Metal suspension system.

Perimeter Trims for Metal Ceilings



Item Nr.	Description	Dimensions length (mm)	Content / Carton		Weight / Carton kg
			pcs	lm	
BPT 2040 H WR A	Perimeter channel RAL 9010	3050	20	61,00	18,10
BPC 1803 H	Perimeter wedge	200	100	-	5,00
BPM 215013	Perimeter trim RAL 9010	4000	10	40,00	8,00
BPM 215014	Shadowline RAL9010 20x20x20x25 mm	4000	10	40,00	13,50
BPM 215015	Shadowline RAL9010 20x15x10x25 mm	4000	10	40,00	11,00
BPM 311081	Cut tile spring wedge	40	100	-	0,30

Perimeter trims also available in Global White.

Perimeter Detailing for Metal Ceilings



Alternative – Full tile modules with plasterboard perimeter using Axiom:



All measurements in millimetres. All sizes are nominal.

CENTRAL EUROPE NORTH (DK/EE/FIN/IS/LT/LV/N/PL/S)

Latvia : www.armstrong.lv
 Lithuania : www.armstrong.lt
 Norway : www.armstrong.no
 Poland : www.armstrong.pl
 Sweden : www.armstrong.se

CENTRAL EUROPE SOUTH (AL/BA/BG/CZ/HR/HU/KO/MD/ME/MK/RO/RS/SK/SI)

Czech Republic : www.armstrong.cz
 Hungary : www.armstrong.co.hu
 Romania : www.armstrong.ro
 Serbia : www.armstrong.rs
 Slovakia : www.armstrong.sk
 Slovenia : www.armstrong.si
www.armstrong.eu