



# DRYWALL GRID SYSTEM





The Drywall Grid System (DGS) is a quick and easy to install suspension system for plasterboard ceilings, available in a range of two unique systems: Standard for typical flat installations and Faceted for curved and domed ceilings.



## Peakform Main Runner and Superlock Clip (bulb to bulb connection)





Item Nr.	Dimensions		Content / Carton		Weight / Carton kg	Cartons / Pallet
	length (mm)	height (mm)	pcs	lm		
<b>Main Runners</b>						
BP 7940 G slot at 150 mm	3600	38	12	43,20	20,00	36
BP 7942 G slot at 150 mm	3000	38	12	36,00	17,00	36
BP 7941 G slot at 100 mm	3600	38	12	43,20	19,50	36
<b>Faceted Main Runners</b>						
BP HD 8906 F08 G	3658	43	12	43,90	22,00	24
BP HD 8906 F16 G	3658	43	12	43,90	24,00	24



<b>Cross Tees</b>						
BP 7930 G	1200	38	36	43,20	20,00	48
BP 7918	900	38	36	33,00	15,00	48
BP 7920 G	600	38	36	22,00	10,00	96



<b>Unhemmed C channel</b>						
BP 7838 G	3048	40	20	61,00	17,00	32



<b>Knurled angle trim</b>						
BP KAM 12 H	3658	32	20	72,00	18,00	12

## Accessories

A variety of Drywall Grid accessories are available to provide problem solving solutions that save time, labour and money.


Item Nr.	Image
<b>BP DW50 LT</b> Transition clip 13 mm plasterboard (1/2")	
<b>BP DW58 LTAG</b> Transition clip for 15 mm plasterboard (5/8")	

Item Nr.	Image
<b>BP DWACS AG</b> Drywall attachment clip	
<b>BP DW30C AG</b> <b>BP DW45C AG</b> <b>BP DW60C AG</b> <b>BP DW90C AG</b> Drywall angle clips	
<b>BP RC2 AG</b> Radius clip	
<b>BP MBAC AG</b> Main Runner adapter clip	


Item Nr.	Image
<b>BP MBSC2 AG</b> Main Runner spacer clip	
<b>BP XTAC AG</b> Cross Tee adapter clip	
<b>BP DLCC AG</b> Direct load ceiling clip	
<b>BP DWC AG</b> Drywall clip	

# DRYWALL GRID SYSTEM

## Section Drawings



## System Drawing




### CENTRAL EUROPE NORTH (DK/EE/FIN/IS/LT/LV/N/PL/S)

Latvia : [www.armstrong.lv](http://www.armstrong.lv)  
Lithuania : [www.armstrong.lt](http://www.armstrong.lt)  
Norway : [www.armstrong.no](http://www.armstrong.no)  
Poland : [www.armstrong.pl](http://www.armstrong.pl)  
Sweden : [www.armstrong.se](http://www.armstrong.se)

### CENTRAL EUROPE SOUTH (AL/BA/BG/CZ/HR/HU/KO/MD/ME/MK/RO/RS/SK/SI)

Czech Republic : [www.armstrong.cz](http://www.armstrong.cz)  
Hungary : [www.armstrong.co.hu](http://www.armstrong.co.hu)  
Romania : [www.armstrong.ro](http://www.armstrong.ro)  
Serbia : [www.armstrong.rs](http://www.armstrong.rs)  
Slovakia : [www.armstrong.sk](http://www.armstrong.sk)  
Slovenia : [www.armstrong.si](http://www.armstrong.si)  
[www.armstrong.eu](http://www.armstrong.eu)


# DRYWALL GRID SYSTEM SHORTSPAN



The Drywall Grid System (DGS) ShortSpan is a quick and easy to install suspension system for plasterboard ceilings and in particular for corridors in both commercial and residential installations.

## Drywall Grid System (DGS) Shortspan product range


### Shortspan T-bars



Item Nr.	Dimensions length(mm) height (mm)	Content / Carton pcs	Carton lm	Weight / Carton kg	Cartons / Pallet
BPS 7708 G	2440 (8') 38	12	29,30	13,00	24
BPS 7710 G	3050 (10') 38	12	36,60	17,00	24
BPS 7712 G	3660 (12') 38	12	43,90	20,00	24
BPS 7714 G	4270 (14') 38	12	51,20	23,00	24


### Locking angle trims

Locking tabs at 150 mm for the BP LAT 12 H  
Locking tabs at 100 mm for the BP LAT 10 H



BP LAT 12 H	3600	32	20	73,00	18,00	12
BP LAT 10 H	3600	30	20	72,00	15,00	12

### Knurled angle trim




BP KAM 12 H	3600 (12')	32	20	72,00	18,00	12
-------------	------------	----	----	-------	-------	----

The ShortSpan system is designed for use in drywall ceilings where the spans do not exceed 4200 mm.

The individual ShortSpan tees are not designed to be used independent of the locking angle trim (BP LAT 12 H) or optional knurled angle trim (BP KAM 12 H).

## System Drawing

The gap between wall trim and shortspan should not be over 3 mm



For more information, please ask for the Drywall Grid System Standard and Faceted brochure.  
All measurements in millimetres. All sizes are nominal.

### CENTRAL EUROPE NORTH (DK/EE/FIN/IS/LT/LV/N/PL/S)

Latvia : [www.armstrong.lv](http://www.armstrong.lv)  
Lithuania : [www.armstrong.lt](http://www.armstrong.lt)  
Norway : [www.armstrong.no](http://www.armstrong.no)  
Poland : [www.armstrong.pl](http://www.armstrong.pl)  
Sweden : [www.armstrong.se](http://www.armstrong.se)

### CENTRAL EUROPE SOUTH

(AL/BA/BG/CZ/HR/HU/KO/MD/ME/MK/RO/RS/SK/SI)  
Czech Republic : [www.armstrong.cz](http://www.armstrong.cz)  
Hungary : [www.armstrong.co.hu](http://www.armstrong.co.hu)  
Romania : [www.armstrong.ro](http://www.armstrong.ro)  
Serbia : [www.armstrong.rs](http://www.armstrong.rs)  
Slovakia : [www.armstrong.sk](http://www.armstrong.sk)  
Slovenia : [www.armstrong.si](http://www.armstrong.si)  
[www.armstrong.eu](http://www.armstrong.eu)